

PRSP-25X RAPIDTOOL PREMIUM

400-415V Heavy Duty 6-16mm Rebar Spiral + 6-25mm Rebar Ring Former Data Sheet



Vertical position



Horizontal position



Remote Control Panel



**RAPIDTOOL IS THE EXCLUSIVE AUSTRALIAN, NEW ZEALAND
AND PACIFIC ISLANDS DEALER AND AUTHORISED SERVICE AGENT
FOR ICARO REBAR MACHINERY.**

SPECIFICATIONS	
Brand:	RAPIDTOOL
Model:	PRSP-25X
Description:	RAPIDTOOL PREMIUM 400-415V Heavy Duty 6-16mm Rebar Spiral + 6-25mm Rebar Ring Former
Rated Voltage:	400-415V 3~
Rated Frequency:	50Hz
Rated Power:	3.2 / 2.6 kW (High/Low)
Rated Current:	7.6 / 6.2 A (High/Low)
No. Phases:	3
Spiral - Rated Rebar Diameter Range:	6-16mm (Rm = 650MPa)
Ring - Rated Rebar Diameter Range:	6-25mm (Rm = 650MPa)
Spiral Pitch Range:	0-120mm

Spiral - Ring Diameter Range:	6mm - 150mm - Unlimited 12mm - 250mm - Unlimited
Rotation + Bar Feed Speed:	Slow Speed = 14RPM (9m) Fast Speed = 28RPM (18m)
Net Weight:	390kg
Packaged Weight:	400kg
Machine Dimensions (L x W x H):	90cm x 110cm x 125cm
Packaged Dimensions (L x W x H):	120cm x 110cm x 130cm
Lower Gearbox Oil Specification:	EP320
Lower Gearbox Oil Volume:	0.4L
Upper Gearbox Grease Specification:	EP1
Upper Gearbox Grease Weight:	4kg
ACCESSORIES	
Inclusions:	Safety Guard

Installation must be carried out by a licensed electrician in accordance with local electrical codes and regulations.

Specifications are approximate only due to variable factors such as input power, temperature, age and wear on machine as well as size (including rib size), strength, ductility and position of rebar being processed, etc. Speed cycle values are determined under no load conditions. Spiral - ring diameter + pitch specification are approximate only. Please check your specific requirements with RAPIDTOOL. Machine aesthetics may vary.

Intended Use:

This machine is specifically designed for rebar however it may also bend other rounded steel items like rod.

Steel materials must meet specifications above.

Material hardening process may affect suitability of the machine.

Do not process ungraded material.

With our continuous commitment to machine safety, research, and development, the specifications and details provided in these data sheets may change without prior notification.

Please refer to our website www.rapidtool.com.au for the latest specifications.

Lallio 20/08/2026

OFFICIAL STATEMENT

EXCLUSIVE RAPIDTOOL REPRESENTATION

ICARO Machinery S.r.l. hereby confirms that:

RAPIDTOOL (26 166 357 768) IS THE EXCLUSIVE AUSTRALIAN, NEW ZEALAND AND PACIFIC ISLANDS DEALER AND AUTHORISED SERVICE AGENT FOR ICARO REBAR MACHINERY.

RAPIDTOOL is authorised to market, sell, service and support ICARO rebar machinery throughout Australia, New Zealand and the Pacific Islands.

This statement is issued by ICARO Machinery S.r.l.

ICARO Machinery S.r.l. P. IVA 07381070155

Name: Carmine Re

Position: CEO

Signature: _____

Date: 20/08/2026

Company Stamp:

ICARO MACHINERY S.R.L.
Via delle Industrie
24040 LALLIO (BG)
C.F./P. IVA 07381070155
www.icaromachinery.com

ICARO MACHINERY S.R.L.

Via delle Industrie S.N.C. - 24040 Lallio (BG) - Tel. +39 035254042 - Fax: +39 035401764

Codice fiscale e partita IVA: IT07381070155 - capitale sociale € 87.000,00.

REG. IMP. MI07381070155 - C.C.I.A.A. REA MI 1155712

<http://www.icaromachinery.com> - icaro@icaromachinery.com - <http://vimeo.com/channels/icaromachinery>